



APEX AP-P24

24-36" WIDTHS 24-36" LENGTH"



APEX AP-P36

36-60" WIDTHS 36-60" LENGTH"



APEX AP-E24

24-30" WIDTHS 48-84" LENGTH"




APEX AP-E36

36-42" WIDTHS 48-84" LENGTH"

GET QUOTE

APEX CAFE SKP.





AP-EXT-CYPRESS

24-36" WIDTHS 24-36" LENGTH"



AP-EXT TEAK

36-60" WIDTHS 36-60" LENGTH"




AP-EXT TEAK

24-30" WIDTHS 48-84" LENGTH"



AP-EXT TEAK

36-42" WIDTHS 48-84" LENGTH"





















PROFILES

ROUND OVER Standard REVERSE KNIFE

BULLNOSE

CUT OUTS

THICKNESS

- POWER
- GROMMET

1.5"

FUSE




OUR FUSE PREMIUM HARDWOOD SURFACES BRING WARMTH AND LASTING BEAUTY TO ANY PROJECT.

OUR ARTISANS START WITH SELECT GRADE HARDWOOD FOR PREMIUM APPEARANCE AND STABLITY, THEN OUR WE ENHANCE THE NATURAL GRAINS WITH COLOR WASHES OR ONE OF OUR SIGNATURE DISTRESSING TECHNIQUES.

WE TOP IT OFF WITH 3 COATS OF HOSPITALITY GRADE CLEAR FINISH TO INSURE YOUR SURFACE LOOKS BEAUTIFUL FOR YEARS TO COME..


FUSE

LASTING PROTECTION



OUR HOSPITALTY GRADE COATING IS FORMULATED TO ENHANCE THE WOODS NATURAL BEAUTY AND PROVIDES A QUALITY FINISH FOR YEARS TO COME. WE APPLY 3 COATS OF UV RESISTANT CATYLIZED URETHANE AND BAKE ON EACH LAYER TO INSURE EACH TABLE WILL PERFORM AT THE HIGHEST STANRDARDS IN THE HIGHEST TRAFFIC ENVIRONMENTS.


FUSE



USING THE HIGHEST GRADE LUMBER INSURES OUR SURFACES ARE MADE QUALITY WITHOUT DEFECT AND WERE MILLED THE OLDEST AND STRONGEST PARTS OF THE TREE.

OUR MAPLE, WALNUT, CHERRY, ASH, AND OAK HARDWOOD STANDARDS ARE ALL NATIVE SPRECIES TO THE MIDWEST AND CAN BE CERFITIED FSC FOR SPECIAL PROJECTS.

WE VALUE LUMBER WE TAKE FROM THE EARTH BY US MANAGING OPTIMIZATION TO LESS THAN 12% LOSS



OUR FUSE SOLID WOOD TABLES ARE CONSTRUCTED WITH THE FINEST MATERIALS TO THE HIGHEST WOOD WORKING STANDARDS.
WE SELECT AND ORIENT EACH BOARD TO FOR APPEARANCE AND DIRECT TO INSURE YOU TABLE NOT ONLY LOOKS GREAT BUT PERFORMS WITH OUT DEFECT FOR THE LIFE OF THE PRODUCT.

ONLY FULL LENGTH SELECT GRADE MATERIAL IS USED

VENEER SURFACES

FLYCH



FLYCH



















PROFILES

EASED EDGE

CUT OUTS

THICKNESS

- POWER
- GROMMET

• | "

FLYCH



OUR FLYCH PLANK VENEER SURFACES BRING WARMTH AND LASTING BEAUTY TO ANY PROJECT. WE START WITH RANDOM-WIDTH VENEER, HAND-SELECTED TO CREATE A SOLID WOOD LOOK WHICH IS APPLIED TO AN ENGINEERED CORE FOR MAXIMUM STABILTY AND PERFORMANCE. THEN OUR ARTISANS ENHANCE THE NATURAL GRAINS WITH COLOR WASHES OR ONE OF OUR SIGNATURE DISTRESSING TECHNIQUES. WE TOP IT OFF WITH 3 COATS OF HOSPITALITY GRADE CLEAR FINISH TO INSURE YOUR SURFACE LOOKS BEAUTIFUL FOR YEARS TO COME..


FLYCH



OUR HOSPITALTY GRADE COATING IS FORMULATED TO ENHANCE THE WOODS NATURAL BEAUTY AND PROVIDES A QUALITY FINISH FOR YEARS TO COME. WE APPLY 3 COATS OF UV RESISTANT CATYLIZED URETHANE AND BAKE IN EACH LAYER TO INSURE EACH TABLE WILL PERFORM AT THE HIGHEST STANDARDS IN THE HIGHEST TRAFFIC ENVIRONMENTS.

LASTING QUALITY

FLYCH




OUR FLYCH VENEER IS HAND SELECTED FOR COLOR, SIZE, AND GRAIN TO CREATE A PLANK LOOK SIMILAR TO SOLID WOOD.

EACH SHEET IN HEAT LAMINATED TO AN ENGINEERED CORE TO INSURE YOUR TABLE IS STABLE AND WILL NEVER WARP OR BOW.

WE APPLY A 3MM WOOD EDGE TO CREATE A FRAMELESS APPEARANCE WITHOUT SACRIFICING THE DURABLITY OF THE EDGE FROM IMPACT.

EXTERIOR SURFACES



STUDIO WISE

ROUND

SQUARE

RECTANGLE

RADIUS CORNER



SQUARE TO RECTANGLE

RADIUS BOOTH SQUARE BOOTH

PILL + OVAL

PROFILES

ROUND OVER Standard REVERSE KNIFE

BULLNOSE

CUT OUTS

THICKNESS

- UMBRELLA HOLES
- POWER
- GROMMET

• | "







POP surfaces offer the design flexibility and price point you need when compared to laminate or melamine surfaces.


Our wood powdercoat technology provides a 360 degree coating that is completely seamless and doesn't require edge banding, making it the perfect solution for health care, corporate, and hospitality

POP \$21 SQ FT MELAMINE \$33 SQ FT

PLAM

ATTRIBUTE	STANDRARD TEST	POP	MELAMINE	HIGH PRESSURE LAMINATE
WATER SUBMERSION	NEMA LD3-2005.3.4	No effect	Delamination	Delamination
STAIN RESISTANCE	NEMA LD3-2005.3.4	All reagants no effect	Reagent 1-10 no e ect Reagent 11-15 slight e ect	Reagent 1-10 no e ect Reagent 11-15 slight e ect
SCRATCH HARDNESS	ASTM D3363-05	Meets or exceeds Pass 3H & Pass 4H dependent on formulation	Meets or exceeds 400 cycles	Meets or exceeds 400 cycles
ABRASION RESISTANCE	Tabor Scale- CS-10 wheels, 1000 cycles	60 mg loss	55 mg loss	52 mg loss
CROSSHATCH ADHESION	ASTM D 3359, Methoda	No loss of adhesion	Delamination	Delamination
EDGE PROFILE	Available profiles Availability Comparison	Any	Limited to edge band requirements	Limited to edge band requirements
COLOR CAPABILITY	Availability Comparison	Any color on the spectrum	Limited to MFR o ering	Limited to MFR o ering
VOC'S RELEASED IN PRODUCTION	VOC Release Measurement	Zero	Adhesive o -gas measurement	Adhesive o -gas measurement
RECYCLABILITY	Able to be converted post consumption	Yes - 100%	No	No - phenolic
CARBON FOOTPRINT	KG CO2 per cubic meter	1.5	Much higher	Much higher

SLAT



STUDIO WISE

SLAT

FINISHES



SHAPES





PROFILES

ROUND OVER Standard

CUT OUTS THICKNESS

• UMBRELLA HOLES

• | "

SLAT




OUR EXOTIC WOOD SLAT SURFACES BRING THE RICH BEAUTY OF WOOD TO ANY OUTDOOR EVNIRMONMENT.

THE NATURAL OILS, AND DENSE GRAIN INHERENT TO THE WOOD PROTECT YOUR TABLES FROM WEATHER, ROT, FUNGI, AND INSECTS AND WILL WEATHER TO A SILVERY GREY WHEN LEFT UNFINISHED.

TO MAINTAIN THE RICH GOLD, BROWN, AND RED TONSE WE SEAL OUR TABLES WITH 3 COATS OF SPAR URETHANE TO PROVIDE LASTING BEAUTY AND PROTECTION AGAINST THE ELEMENTS.

LUXURY SURFACES

QUARTZ



STUDIO WISE















PROFILES

ROUND OVER

REVERSE KNIFE

BULLNOSE

STANDARD

CUT OUTS

THICKNESS

- POWER
- GROMMET

• 3 CM = 1.0625"

QUARTZ



OUR QUARTZ AND STONE SURFACES BRING WARMTH AND CLASSIC STYLE TO ANY PROJECT. OUR CURATED COLLECTION OF FINISHES IS SELECTED OUT OF THE TOP 20 NATIONAL BEST SELLERS TO INSURE YOUR PROJECT IS ALWAYS ON TREND.

QUARTZ



THE DENSE NATURE OF STONE PROVIDES THE DURABLITY AND PROTECTION YOU NEED. OUR QUARTZ IS HEAT, WATER, UV, AND STAIN RESISTANT AND IS TO PERFECT CHOICE FOR PROJECT THAT REQUIRES A HIGH END LOOK IN HIGH TRAFFIC AREAS.

QUARTZ



OUR QUARTZ IS 100% US SOURCED USING FINE FILTERED AGRIGATES TO CREATE SLABS THAT HAVE THE LOOK AND DURABILTY OF NATURAL STONE. EACH DIE LOT IS MEASURED FOR COLOR, TONE, AND PATTERN TO INSURE OUR PRODUCT IS CONSISTENT AND MEETS YOUR DESIGN STANDARDS.



OVERVIEW

Retractable and durably constructed, Flip is highly functional with a fluid, one-touch door that remains open during use. Flip offers a completely scalable solution - from 2 to 8 windows - with a varity of power options and data configurations.

- STANDARD ON:

 MOBILE (RECTANGLE)

 TEAM (CONNECT)

 CONFERENCE





image shown: 2 Power, 1 USB with Clear Anodized Aluminum, silver frame plastic and black simplexes


STANDARD CONFIGURATION

2Window_2Power_Clear Anodized Housing_Black Frame_Black Simplex

Contact sales@studiowisedesign.com for pricing on upgrade configurations.


SPECIFICATIONS

- * Images depicts a 2 Power, and 2 open data.
- * Minimum surface depth is 3/8"



CUSTOMIZE BY SIZE

Flip offers from 2 to 8 windows, as shown below. Each window can be replaced a variety of power or data options.



POWER INFEEDOPTIONS

UL LISTED Corded

Hardwired

CODES

NEW YORK

The Corded Flip can be used in the City of New York, as per the official New York Code Decision.

CHICAGO

The Hardwired Flip must be used in the City of Chicago. (Corded, Interlink, Interlink IQ, and Interconnect are not permitted.)

CUSTOMIZED DATA

The power simplexes must be grouped together and installed at the right end of this product. Data products requiring power must iimmediatly follow.




POWER SIMPLEX

Cat3, Cat5, Cat5e, Cat6, RJ-45, HDMI, VGA, Stereo Jack, Belay, and Passive USB

DATA PRODUCTS (POWERED)

Dual Charging USB

FINISHES



ROLL



* image shown: unit closed

OVERVIEW

Roll has a sleek design which allows the product to rotate to open or close to expose or hide the power.

STANDARD ON:
• MOBILE (PEDESTAL)
• TEAM (PEDESTAL)

STANDARD CONFIGURATION

2 Power-1 USB - Black Housing, Black Simplex

\$ 125


Contact sales@studiowisedesign.com for pricing on upgrade configurations.



* Image shown: 3 Power Roll

SPECIFICATIONS

^{*} Images depicts a 2 Power and 1 USB unit.



CONFIGURATIONS AVAILABLE

POWER ENTRY OPTIONS

Roll is available in configurations listed below with 15 amp power simplex and dual port USB options only (2 amp per port)

UL LISTED (STANDARD)
Corded








3 Power F3P

FINISHES

The simplexes will remain white unless the housing is black then simplexes will default to black as well.

Soft Touch Molded Plastic





Colors above represent different material areas that change depending on the finish chosen.

DOT

OVERVIEW

DOT is our most compact accessory and features a round or square design and is available in multiple molded plastic and stylish metal-plated finishes. Dot is available with a spill-proof power simplex, USB, HDMI, or a variety of other Networking Cable options. Dot is also offered in a grommet version for discrete data pass through.

STANDARD ON: TEAM (RECHARGE)


STANDARD CONFIGURATION

Round or Square Power_Black Round or Square Data_Black

 $Contact \verb+sales@studiowisedesign.com+ for pricing on upgrade configurations.$




* image shown: DOT Round USB



* image shown: DOT Square Power

SPECIFICATIONS



\$ 35

\$ 85

CONFIGURATIONS AVAILABLE

DOT comes in either a square or round shape with power, dual port USB (2 amps per port), data pass thru, and data integrated options. The Data integrated options are currently square grommet shape only. Below are graphic representations of the options

STANDARD

POWER



Square Power [-DSP]



Round Power [-DRP]



USB

USB [-DSV] Round USB

[-DRV]

Square

Integrated Data



Square Cat5e [-DC5] Square



Sqaure HDMI [-DHD]

Data Pass thru



Round Data Pass thru



Square Data Pass thru

POWER ENTRY OPTIONS

UL LISTED

Corded

ETL Listed

Corded for Outdoor Use

FINISHES

The finishes listed below are for Power Data pass thru and USB only. When using intrigated data we are currently offering molded white and black as finish options.

Molded Plastic



Black - BL



White - WT



Fog - FO





Honey - HO

Poppy - PO Peacock - PE





Navy - NA



Black - BL

Honey - HO





Poppy - PO Peacock - PE

Fog - FO



Storm - ST

Navy - NA

Metal



Bronze - BR



Trivalent Chrome - TC



Nickel - NI



Bronze - BR



Trivalent Chrome - TC



Nickel - NI